

Thank you for choosing Lincare Powered Mobility to help you obtain a power mobility device. In order to do so, we will need your cooperation in assuring that your provider completes the required insurance documentation.

Enclosed please find a Mobility Evaluation Packet for you to bring with you at your scheduled mobility evaluation. You will need to let your provider know that you are there for a *Power Mobility Exam*, and this must be indicated in your <u>Medical Record/Chart Notes</u>.

This is a time sensitive process and if we all work together, this can be achieved much sooner, and you may be placed with your NEW power mobility device in no time.

Please do not hesitate to contact me with any questions or concerns, at my information below. We thank you for your interest and look forward to being of service to you.

Sincerely,

Lincare Powered Mobility Team

If you have questions please call (866) 387-2668



POWER MOBILITY EVALUATION

- 1.) Please complete the attached Written Order form at today's office visit
- 2.) Please complete the attached Power Mobility Device Evaluation form at today's office visit
- 3.) Please submit today's chart note documenting if the major reason for the visit was for a Power Mobility Device Evaluation and if the need for the Power Mobility Device is a medical neccessity for the patient to complete their in home Mobility Related ADL's

Upon completion, please return ALL THREE documents to:

FAX: (855) 653-4197

Questions on the above request?

Call (866) 387-2668

Thank you for the assistance.

WRITTEN ORDER

1)	Patient's Name:		
2)	Encounter Date: (Order Date)		
3)	Item for Order:		
4)	Option & Accessories:	Quantity:	
	 Batteries Oxygen Tank Carrier Elevating Leg Rests, Pair Skin Protection Cushion Positioning Cushion 		
5)	ICD – 10's:		
6)	Provider's NPI:		
7)	Provider's Name:		
8)	Provider's Signature:	(NO Signature Stamps)	

Based on my encounter with the patient on the above referenced date, it is my opinion that my patient needs this equipment for use inside the home in order to participate in one or more activities of daily living. I have determined that the equipment prescribed is the best-suited mobility device for my patient and my patient has the physical & mental abilities to operate the equipment.

POWER MOBILITY DEVICE EVALUATION

Eva	Evaluation Date: / /			
<u>Pa</u>	Patient Name: DOB:			
We	Weight: ICD-10's: Past/Current Pressure Sores w	v/Location·		
***	TOD 10 3. TUSY CUITCHET COSMIC SOLES W	ij Location.		
1)				
	☐ mobilize to the restroom ☐ mobilize to the kitchen for meal prep	other:		
2)	2) See Option A when ordering a POWER WHEELCHAIR OR See Option B when ordering	dering a SCOOTER:		
	Option A - POWER WHEELCHAIR ☐ The patient is at high-risk for injury when attempting independent transfers, ☐ The patient has limited upper extremity strength/ROM to utilize handlebar ti ☐ other:			
	Option B - SCOOTER ☐ YES; The patient can effectively Operate the Tiller Steering System; Transfer s and from Scooter; Maintain Postural Stability on a Scooter	safely and independently to		
3)	3) Please document why a Cane or Walker will not allow for in home MRADL's:			
4)	4) Please document why a Manual Wheelchair will not allow for in home MRADL's	:		
5)	5) <u>Is the patient able to Physically and Mentally operate the Power Mobility Device</u>	e safely: 🔲 YES 🗂 NO		
6)	,	4 3 2 1 0 ood Fair Poor Trace None		
7)	7) ROM: Upper: 5 4 3 2 1 0 Lower: 5	4 3 2 1 0		
	Normal Good Fair Poor Trace None Normal Go	ood Fair Poor Trace None		
8)	8) Pain: (Overall) 0 1 2 3 4 5 6 7 8 9 10			
9)	9) Projected Distance with Ambulation using a Cane or Walker: 0′ 5′ 10′	' 15' 20' No Limitations		
10) Projected Distance with Self-Propulsion of a Manual Wheelchair: 0' 5' 10' 15' 20' No Limitations				
	ALL ADDITIONAL COMMENTS TO BE PLACED IN THE PATIENT'S MED	DICAL RECORD		
<u>P</u> re	Prescribing Practitioner Printed Name:			
	Prescribing Practitioner Signature:			
Da	Date:			

This has been incorporated in the patient's medical record in addition to the face-to-face evaluation for power mobility.